


## TILLABLE SOILS



Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
11B 📃	Colo-Judson silty clay loams, 0 to 5 percent slopes, occasionally flooded	48.18	22.73 %	80	85	-	2	Poorly drained
370D2 🗌	Sharpsburg silty clay loam, 9 to 14 percent slopes, eroded	40.84	19.27 %	54	78	-	3	Moderately well drained
Y192D2 📕	Adair clay loam, dissected till plain, 9 to 14 percent slopes, eroded	36.88	17.40 %	16	59	-	4	Somewhat poorly drained
Y24D2 📙	Shelby clay loam, dissected till plain, 9 to 14 percent slopes, eroded	25.80	12.17 %	49	74	-	3	Well drained
370B 📃	Sharpsburg silty clay loam, 2 to 5 percent slopes	24.44	11.53 %	91	91	-	2	Moderately well drained
370C2 📃	Sharpsburg silty clay loam, 5 to 9 percent slopes, eroded	16.56	7.81 %	80	82	-	3	Moderately well drained
Y24D 🗌	Shelby loam, dissected till plain, 9 to 14 percent slopes	10.26	4.84 %	52	83	-	3	Well drained
751C2 📃	Northboro silt loam, 5 to 9 percent slopes, moderately eroded	8.02	3.78 %	73	86	-	3	Moderately well drained
Y24E 📃	Shelby loam, dissected till plain, 14 to 18 percent slopes	0.50	0.24 %	41	76	-	4	Well drained
370D 🗌	Sharpsburg silty clay loam, 9 to 14 percent slopes	0.45	0.21 %	59	84	-	3	Moderately well drained
Average:					78.2			

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.